









| PER: FOR: | ARMSTRONG | CISA | FAB |
|--------------|--|---|--|
| |  <p>02</p> <p>ART1R</p>  |  <p>04</p> <p>CS121</p> |  <p>04</p> <p>FB35R K</p> |
| PER: FOR: | FEDERAL | KEYA | LAMA |
| |  <p>04</p> <p>FDR1</p> |  <p>04</p> <p>KEY2</p> |  <p>02</p> <p>LMA1</p>  |



1

PER / FOR

ARMSTRONG (CS)

CISA (I)

FAB (CZ)

FEDERAL (F)

KEYA (E)

LAMA (YU)

01

COMMERCIAL GROUP
GRUPPO COMMERCIALE
PREISEGRUPPE
GROUPE COMMERCIAL
GRUPO COMMERCIAL

www.silca.it



2

PER / FOR

MARS (RC)

TRIOVING (N)

Female/femmina
GORGES


01

COMMERCIAL GROUP
GRUPPO COMMERCIALE
PREISEGRUPPE
GROUPE COMMERCIAL
GRUPO COMMERCIAL

www.silca.it


PER:
FOR:

MARS





MAR1

TRIOVING




TR13R

FEMALE/FEMMINA
GORGES




PER:
FOR:

Specialist's Guide

PER:
FOR:

ISEO (I)



ISR100 WEB


System managed by the Manufacturer
via Web connection.

Sistema gestito dal Costruttore tramite
collegamento Web.


Das System wird vom Hersteller über
Internet verwaltet.

Système géré par le Constructeur par
connexion Web.

Sistema controlado por el Constructor
por medio de conexión Web.




QUATTROCODE



TRIAX-E.CODE

OPTIONAL



D724187ZB

"R174" clamp

Morsetto "R174"

"R174" Spannbacke

Étau "R174"

Mordaza "R174"

Delivery time December 2002
Disponibilità Dicembre 2002
Lieferbar ab Dezember 2002
Disponibilité Décembre 2002
Disponibilidad Diciembre 2002

NEW

D709117ZB

Cutter H106 (HSS)

Fresa H106 (HSS)

Fräser H106 (HSS)

Fraise H106 (HSS)

Fresa H106 (HSS)



D709243ZB

Cutter W106 (carbide)

Fresa W106 (metallo duro)

Fräser W106 (Hartmetall)

Fraise W106 (au carbure)

Fresa W106 (metal duro)



Silca Quattrocode Program

UPDATE 1/2002 (Dos Version) - AGGIORNAMENTO 1/2002 (Versione Dos)

UPDATING 1/2002 (Dos Version) - MISE A JOUR 1/2002 (Dos)- ACTUALIZACIÓN 1/2002 (Dos)

| LOCK SYSTEM SISTEMA SERRATURA SCHLOß-SYSTEM SYSTEME SERRURE SISTEMA CERRADURA | SILCA REF. ART. SILCA SILCA ROHLING ARTICLE SILCA ARTICULO | JAW MORS. SP. ETAU MOR. | CUTTER FRESE FRÄSER FRAISE FRESE | PROFILE SERIES PROFILO SERIE PROFIL PROFIL PERFIL | NOTE NOTE HINWEIS NOTE ANOTACIONES | S.N. |
|---|--|-------------------------------------|--|---|--|------|
| ABUS EC 75/30 (5+6 PIN) | ORIGINAL | J1 | H/W103 | - | - | 635 |
| CISA AP3 | ORIGINAL | J240 | H/W105 | 00001 – 38832 (XN014210) | (***) | 631 |
| CISA ASTRAL (6+7 PIN) II | CS62 | J240 | H/W105 | 00001 – 11808 (XN008710) | (***) | 634 |
| GERA WS (6+5 PIN) | ORIGINAL | J1 | H/W107 | - | (***) | 640 |
| ISEO IRS100Web | ORIGINAL | R174 (*) | H/W106 | - | - | 629 |
| KAKEN | KAK1 | J1 | H/W112 H/W102 | - | - | 636 |
| LANCIA LYBRA | ORIGINAL | J1 | W114 | DE..... 00001 - 11210 | - | 583 |
| MIWA 83EC-83REC (6 PIN) | MIW10 MIW11 | J1 | W130 | - | - | 632 |
| PFAFFENHAIN I14 (10 PIN) | ORIGINAL | J1 | W130 | - | - | 624 |
| PFAFFENHAIN I14 (8 PIN) | ORIGINAL | J1 | W130 | - | - | 625 |
| POTENT (5 PIN) | PT4R | J1 | H/W104 | - | - | 637 |
| SCUDO 5000 | AGB6 | J1 | H/W106 | - | - | 633 |
| TITAN K5 (CR T745) | ORIGINAL | J1 | H/W102 | 045000 – 050000 | - | 584 |
| VIRO EURO PRO (6 PIN) | VI19 | J1 | H/W104 | - | - | 630 |
| WEST (5+5 PIN) (6.5mm) | ORIGINAL | J1 | H/W103 | - | - | 639 |
| WEST (7+7+7 PIN) (7.9mm) | ORIGINAL | J1 | H/W103 | - | - | 638 |

(*) The jaw printed in boldface is brand new. Request its as optional from the dealer.
Il morsetto evidenziato dal carattere grassetto è di nuova costruzione. Richiedere come opzionale al vostro distributore di fiducia.
 Die durch Fettschrift hervorgehobenen Spannbacke wurden vor kurzen hergestellt. Fragen Sie Ihren Vertreter danach.
L'étai mis en évidence en caractère gras est de nouvelle construction. Demandez le en option à votre distributeur.
 La mordaza evidenciada en negrita es de nueva construcción. Pida como opcional a su proveedor.

(**) The cutters printed in boldface are brand new. Request them as optional from the dealer.
Le frese evidenziate dal carattere grassetto sono di nuova costruzione. Richiedere come opzionale al vostro distributore di fiducia.
 Die durch Fettschrift hervorgehobenen Fräsen wurden von kurzen hergestellt. Fragen Sie Ihren Vertreter danach.
Les fraises mises en évidence en caractère gras sont de nouvelle construction. Demandez les en option à votre distributeur.
 Las fresas evidenciadas por el carácter negrito son de nueva construcción. Pida como opcional a su proveedor.

(***) The system is protected by a password and authorization must be obtained from the manufacturer.
Il sistema è protetto da Password ed è necessario richiedere l'autorizzazione al costruttore.
 Das System ist durch ein Password geschützt und es muß un die Genehmigung vom Hersteller angefragt werden.
Le système est protégé par un Password et il faut demander l'autorisation au constructeur.
 El sistema está protegido por una Password y hace falta pedir la autorización al constructor.



Silca Key Programs

Version 6.4.0.7

Here below are the main novelties in the new CD-ROM version of the **SILCA KEY PROGRAMS** for Windows®, Version 6.4.0.7.



CD ROM

- **Silca Code Program**

Database update : News 2° / 2002

New functions in the program for PC :

- New menu for editing of Series, with the following functions:
 - Defining a New User Series, starting from a **card** choosen in the Silca database (it is then possible to Modify and/or Delete the new series data)
 - Importing from a File and/or Manually entering a Codes Table, to be then linked to a Series defined by User (it is then possible to Modify, Export to a file and/or Delete the codes data)
 - Linking to an User Series of Keyblank references (manufactured by Silca or other company), Lock Manufacturers and/or Keyblank Applications

- **Silca Triax Program**

New functions in the program for PC :

- New menu for editing of Series, with the following functions:
 - Defining a New User Series, starting from a **lock system** choosen in the Silca database (it is then possible to Modify and/or Delete the new series data)
 - Importing from a File and/or Manually entering a Codes Table, to be then linked to a Series defined by User (it is then possible to Modify, Export to a file and/or Delete the codes data)
 - Linking to an User Series of Keyblank references (manufactured by Silca or other company), Lock Manufacturers and/or Keyblank Applications

- **Other News**

- New menu with on-line Documentation for the browsing of the Silca electronic machines operating manuals linked to the Silca Key Programs licence (the manuals are in PDF format, suited to be read and printed by Adobe® Acrobat® Reader Ver. 5.0.5)



For further more detailed information, please contact Silca Technical Assistance.



Silca Key Programs

Version 6.4.0.7

Vi presentiamo a seguire le principali novità dei programmi Software Silca contenute nella nuova versione del CD-ROM – SILCA KEY PROGRAMS for Windows®, Versione 6.4.0.7.



CD ROM

- **Silca Code Program**

Aggiornamento database : News 2° / 2002

Nuove funzioni nel programma su PC :

- Nuovo menu di Anagrafica Serie, con le seguenti nuove funzioni:
 - Creazione di nuove Serie Utente, definite a partire da una **scheda** scelta nel database Silca (con possibilità di successiva Modifica e/o Cancellazione dei dati)
 - Importazione da File e/o Digitazione manuale di una Tabella di codici, da associare ad una Serie creata da utente (con possibilità di successiva Modifica, Esportazione su file e/o Cancellazione di codici)
 - Possibilità di associare ad una Serie Utente le informazioni relative agli Articoli (Silca e non), alle Marche Serratura e alle Applicazioni

- **Silca Triax Program**

Nuove funzioni nel programma su PC :

- Nuovo menu di Anagrafica Serie, con le seguenti nuove funzioni:
 - Creazione di nuove Serie Utente, definite a partire da un **sistema serratura** scelto nel database Silca (con possibilità di successiva Modifica e/o Cancellazione dei dati)
 - Importazione da File e/o Digitazione manuale di una Tabella di codici, da associare ad una Serie creata da utente (con possibilità di successiva Modifica, Esportazione su file e/o Cancellazione di codici)
 - Possibilità di associare ad una Serie Utente le informazioni relative agli Articoli (Silca e non), alle Marche Serratura e alle Applicazioni

- **Altre Novità**

- Nuovo menu di Documentazione in linea, per la consultazione dei manuali operativi delle macchine elettroniche Silca abbinate alla licenza Silca Key Programs (i manuali sono in formato PDF, consultabili e stampabili tramite Adobe® Acrobat® Reader Ver. 5.0.5)



Per informazioni più dettagliate, contattare Assistenza Tecnica Silca.



Silca Code Program

UPDATE 2/2002 - AGGIORNAMENTO 2/2002 UPDATING 2/2002 - MISE A JOUR 2/2002 - ACTUALIZACIÓN 2/2002

| S.S.N. | PROFILE PROFILO PROFIL PERFIL | CODE SERIE SERIE SERIE | BRAND MARCA MARKEN MARQUE MARCA | USE UTILIZZO VERWENDUNG UTILISATION UTILIZACIONES | ADDITIONAL INFO. ALTRE INFO. WEITERE INFO. AUTRES IMFO MAS INFORMACIONES | SILCA REF. ARTICOLO SILCA SILCA ROHLING ARTICLE SILCA ARTICULO SILCA | CARD SCHEDA KARTE FICHE |
|--------|--|---------------------------------|---|---|--|--|----------------------------------|
| 2909 | | 35000 – 39999 | AXA | BICYCLES | Added new codes | AX1P | 1366 |
| 3165 | | 45015 – 47434 | AXA | BICYCLES | Added new codes | AX1RP | 1366 |
| 3285 | | 654321 | AMARO LIMITADA | CYLINDER | | ALM1 – ALM1R | 1588 |
| 3286 | | 123456789 | ESETY | CYLINDER | Protected System | Original | 1532 (*) |
| 3287 | | 123456789 | MAUER | CYLINDER | 6 pin key | Original | 1589 |
| 3288 | | 1234 | GIUSSANI | CYLINDER | | GS13 | 1590 |
| 3289 | | 12345 | FEDERAL | CYLINDER | F60 | Original | 1591 |
| 3290 | | TSRQPONMLKJIHGFEDCBA | GUARD | CYLINDER | | Original | 1592 |
| 3291 | | 01234 | CECHIA - BRAMA | CYLINDER | | Original | 1593 |
| 3292 | ... | 101 – 400 | CES | CYLINDER | | CE18 | 1594 |
| 3293 | L... | L1 – L222 | MLM | CYLINDER | | Original | 1595 |
| 3294 | | 1234 | MLM | CYLINDER | | Original | 1596 |
| 3295 | | 0123456 | JUNIE | CYLINDER | 4 pin | Original | 1598 |
| 3296 | | 0123456 | JUNIE | CYLINDER | 5 pin | Original | 1598 |
| 3297 | | 123456789 | ABUS | CYLINDER | | Original | 1599 |
| 3298 | GN.... | GN7000 – GN8599 | LOCKWOOD | CYLINDER | | Original | 1123 |
| 3299 | | 00E001 – 05E999 | LITTO | CYLINDER | | LT2 | 576 |
| 3300 | ... | 0123456789 | CORNI | CYLINDER | | CC7 – CC7R | 325 |
| 3301 | | 0123456789 | CORNI | CYLINDER | | CC3 – CC3R – CC4 | 325 |
| 3302 | | 12345678 | WALLY | CYLINDER | | WA1 – WA1R | 620 |
| 3303 | | 6543210 | HOBES - VIRO | CYLINDER | | VI3 – VI3R – HOB1 – HOB1R | 1602 |
| 3304 | Z..... | 012345 | TRELOCK | BICYCLES | | WAS2R | 176 |
| 3305 | 9....X | 012345678 | WINKHAUS | CYLINDER | X-PERT | TO30RX | 481 |
| 3306 | B.... | B1001 – B2000 | BASTA | CYLINDER | | NE58 | 172 |

(*) The system is protected by a password and authorization must be obtained from the manufacturer.
 Il sistema è protetto da Password ed è necessario richiedere l'autorizzazione al costruttore.
 Das System ist durch ein Passwort geschützt und es muß un die Genehmigung vom Hersteller angefragt werden.
 Le système est protégé par un Password et il faut demander l'autorisation au constructeur.
 El sistema está protegido por una Password y hace falta pedir la autorización al constructor.





SILCA S.p.A.
Via Podgora, 20 (Z.I.) 31029 VITTORIO VENETO (TV)
Tel. 0438 9136 Fax 0438 913800
www.silca.it

Member of the Kaba Group

